

Listing of Claims

1-29 (Canceled)

30. (Previously Presented) A method of claim 91, comprising:

receiving information from a first terminal identifying the personal terminal, said information including the telephone number of the personal terminal;

receiving information from the first terminal selecting the data file from a data file list; and

transmitting the audio guide message including data for identifying the selected data file to the personal terminal based on the telephone number of the personal terminal, the data for identifying having file information of the data file,

wherein the data file is transferred to the personal terminal in response to a signal received from the personal terminal requesting the data file.

31. (Previously Presented) The method of claim 30, wherein the data for identifying includes a synchronization code informing transmission of the data file and a type, capacity and name of the data file.

32. (Previously Presented) The method of claim 30, further comprising determining a transmission path based on a state of the second mobile terminal.

33-34 (Canceled)

35. (Previously Presented) The method of claim 30, wherein said connection between the data supplying server and the personal terminal is not made corresponds to a condition where it is not possible to check a state of the personal terminal.

36. (Previously Presented) The method of claim 30, wherein said connection between the data supplying server and the personal terminal is not made corresponds to a condition where a capacity of the data file exceeds an allowable memory capacity of the personal terminal.

37-40 (Canceled)

41. (Previously Presented) The method of claim 91, further comprising:
receiving first information for identifying the data file and second information for identifying a source of the data file;
checking a format of the selected data file; and
determining whether to receive the selected data file or not based on whether the checked format of the selected data file has a predetermined data format.

42. (Previously Presented) The method of 41, wherein the first information is a title name.

43. (Previously Presented) The method of 41, wherein the second information is a sender name or phone number of a first terminal providing information for selecting the data file.

44. (Previously Presented) The method of 41, further comprising:
providing a partial part of the selected data file to be transmitted, wherein the partial part is a beginning part of the data file.

45-57 (Canceled)

58. (Currently Amended) The method of claim 91 ~~45~~, wherein the personal terminal is a mobile terminal and the first terminal is another mobile terminal.

59. (Canceled)

60. (Previously Presented) The method of claim 41, wherein the predetermined data format is a preset compressed data format.

61. (Previously Presented) The method of claim 41, wherein the predetermined data format is an mp3 format.

62-90 (Canceled)

91. (Currently Amended) A data file reproducing method for a personal terminal, comprising:

selecting a data file;

connecting to a personal terminal;

transferring an audio guide message to the personal terminal when the connection is made;

receiving a request from the personal terminal to send the selected data file in response to the audio guide message; and

transferring the selected data file to the personal terminal, wherein said connecting includes connecting a data supplying server to the personal terminal through a communication network by:

inputting an identifying number for the personal terminal; and

determining whether a connection between the data supplying server and the personal terminal is completed, wherein the audio guide message is transferred to the personal terminal when the connection is made and the personal terminal responds, and

wherein when a connection between the data supplying server and the personal terminal is not made, the data supplying server connects to the communication network by connecting a data storing space to the communication network, and wherein the method further comprises:

storing the selected data file, the guide message, and a telephone number of the personal terminal in the data storing space;

transferring a guide message to the personal terminal when the data storing space is connected to the personal terminal;

requesting transfer of the data file from the personal terminal by the personal terminal;

transferring the selected data file to the personal terminal according to the request for transfer of the personal terminal; and

storing automatically the data file in the personal terminal,

wherein said method further comprises:

providing an input window on a first terminal providing information for selecting the data file, the input window receiving information of the personal terminal including the telephone number of the personal terminal, and

selecting at least one digital data file from a file list to be transmitted, wherein a title name of the selected data file is separately transmitted with the selected data file.

92. (Previously Presented) A data file reproducing system comprising:

a first server for selecting a data file, connecting to a personal terminal, and transferring an audio guide message to the personal terminal when the connection is made, the first server receiving a request from the personal terminal to send the selected data file in

response to the audio guide message, and transferring the selected data file to the personal terminal,

wherein said connecting includes connecting a data supplying server to the personal terminal through a communication network by:

inputting an identifying number for the personal terminal; and

determining whether a connection between the data supplying server and the personal terminal is completed, wherein the audio guide message is transferred to the personal terminal when the connection is made and the personal terminal responds, and

wherein when a connection between the data supplying server and the personal terminal is not made, the data supplying server connects to the communication network by connecting a data storing space to the communication network, and wherein the method further comprises:

storing the selected data file, the guide message, and a telephone number of the personal terminal in the data storing space;

transferring a guide message to the personal terminal when the data storing space is connected to the personal terminal;

requesting transfer of the data file from the personal terminal by the personal terminal;

transferring the selected data file to the personal terminal according to the request for transfer of the personal terminal; and

storing automatically the data file in the personal terminal.

93. (Previously Presented) The system of claim 92, wherein said connection between the data supplying server and the personal terminal is not made corresponds to a condition where it is not possible to check a state of the personal terminal.

94. (Previously Presented) The system of claim 92, wherein said connection between the data supplying server and the personal terminal is not made corresponds to a condition where a capacity of the data file exceeds an allowable memory capacity of the personal terminal.

95. (Previously Presented) The system of claim 92, wherein the personal terminal receives first information for identifying the data file and second information for identifying a source of the data file, and

wherein the personal terminal checks a format of the data file and determines whether to receive the data file or not based on whether the checked format of the data file has a predetermined data format.